




# > innShock

The Inclined Impact Tester evaluates the ability of loads to withstand horizontal impacts or crushing forces thanks to the gravity force.



Intuitive use, allowing repetitive testing with accurate results.

Provide valuable insights into optimal packaging design.

Minimize losses and costs thanks to optimized packaging.

## For all industries





Image: Inclined innShock Software

## Technical specifications

- Anti-bounce hydraulic dumpers
- Articulated pneumatic platform
- Smooth displacement
- 10° inclined plane
- Input velocity + distance
- Intuitive controller software

## Optional accessories

- ISTA Hazard tools
- Speed sensor
- **innVision ST**
- **innVision Pro**

## Impact Tests supported

- ASTM D4169
- ASTM D880
- ASTM D5277
- ISTA 1A, 1B, 1C, 1E, 1G, 1H; 2A, 2B, 2C; 3B, 3E, 3K; 4 Series; 6-SAMSCLUB; 6-AMAZON.COM

Model	Max. Load Weight		Table Size		Impact Speed	
	kg	lbs	mm	in	m/s	in/s
H11500	500	1102	1000 x 1000	39.3 x 39.3	1,5	59
H11000	1000	2204				
H11500	1500	3306	1400 x 1400	55.1 x 55.1	2,5	98
H112000	2000	4409				

### Europe Headquarters

C/Velluters 1, nave 9.  
46980 Paterna - Valencia (Spain)

Office: +34 963929595  
Cell Phone: +34 689797409  
Email: [contact@safeloadtesting.com](mailto:contact@safeloadtesting.com)

[www.safeloadtesting.com](http://www.safeloadtesting.com)

### America Headquarters

120 NE 27TH STREET #900  
Miami, FL 33132 (USA)

Axel Amezcua: +1 (773) 543 0289  
Kevin McIntosh: +1 909-996-7442  
Email: [contact@safeloadtesting-usa.com](mailto:contact@safeloadtesting-usa.com)

[www.safeloadtesting-usa.com](http://www.safeloadtesting-usa.com)